

Liste faunistique des Diptères Limoniidae & Pediciidae de France métropolitaine C. QUINDROIT, F. LABAT & P. TILLIER 2025

Limoniidae Rondani, 1856

Chioneinae Rondani, 1861

Arctoconopa Alexander, 1924

1. *Arctoconopa melampodia* (Loew, 1873)

Baeoura Alexander, 1924

2. *Baeoura directa* (Kuntze, 1914)

Cheilotrichia Rossi, 1848

3. *Cheilotrichia* (*Cheilotrichia*) *cinerea* (Strobl, 1898)
4. *Cheilotrichia* (*C.*) *imbuta* (Meigen, 1818)
5. *Cheilotrichia* (*C.*) *meridiana* Mendl, 1974
6. *Cheilotrichia* (*Empeda*) *cinerascens* (Meigen, 1804)
7. *Cheilotrichia* (*E.*) *fuscohalterata* (Strobl, 1906)
8. *Cheilotrichia* (*E.*) *minima* (Strobl, 1898)
9. *Cheilotrichia* (*E.*) *neglecta* (Lackschewitz, 1927)
10. *Cheilotrichia* (*E.*) *staryi* Mendl, 1973

Chionea Dalman, 1816

11. *Chionea alpina* Bezzi, 1908
12. *Chionea belgica* (Becker, 1912)
13. *Chionea bezzii* Oosterbroek & Reusch, 2008
14. *Chionea botosaneanui* (Burghele-Balacesco, 1969)
15. *Chionea lutescens* Lundström, 1907
16. *Chionea pyrenaea* (Bourne, 1981)

Crypteria Bergroth, 1913

17. *Crypteria* (*Crypteria*) *limnophiloides* Bergroth, 1913

Ellipteroides Becker, 1907

18. *Ellipteroides* (*Ellipteroides*) *lateralis* (Macquart, 1835)
19. *Ellipteroides* (*Protogonomyia*) *adrastea* Starý & Mendl, 1984
20. *Ellipteroides* (*P.*) *alboscuteatus* (von Roser, 1840)
21. *Ellipteroides* (*P.*) *limbatus* (von Roser, 1840)

Erioconopa Starý 1976

22. *Erioconopa diuturna* (Walker, 1848)
23. *Erioconopa symplectoides* (Kuntze, 1914)
24. *Erioconopa trivialis* (Meigen, 1818)

Erioptera Meigen, 1803

25. *Erioptera* (*Erioptera*) *divisa* (Walker, 1848)
26. *Erioptera* (*E.*) *flavata* (Westhoff, 1882)
27. *Erioptera* (*E.*) *fusciennis* Meigen, 1818
28. *Erioptera* (*E.*) *fusculenta* Edwards, 1938

29. *Erioptera* (E.) *griseipennis* Meigen, 1838
30. *Erioptera* (E.) *longicauda* Loew, 1871
31. *Erioptera* (E.) *lutea lutea* Meigen, 1804
32. *Erioptera* (E.) *mejerei* Edwards, 1921
33. *Erioptera* (E.) *nielsenii* de Meijere, 1921
34. *Erioptera* (E.) *pederi* Tjeder, 1969
35. *Erioptera* (E.) *sordida* Zetterstedt, 1838
36. *Erioptera* (E.) *squalida* Loew, 1871
37. *Erioptera* (E.) *verralli* Edwards, 1921
38. *Erioptera* (Mesocyphona) *bivittata* (Loew, 1873)
39. *Erioptera* (M.) *fossarum* (Loew, 1873)

Gnophomyia Osten Sacken, 1860

40. *Gnophomyia* *elsneri* Starý, 1983
41. *Gnophomyia* *viridipennis* (Gimmerthal, 1847)

Gonempeda Alexander, 1924

42. *Gonempeda* *flava* (Schummel, 1829)

Gonomyia Meigen, 1818

43. *Gonomyia* (*Gonomyia*) *abscondita* Lackschewitz, 1935
44. *Gonomyia* (G.) *bifida* Tonnoir, 1920
45. *Gonomyia* (G.) *conoviensis* Barnes, 1924
46. *Gonomyia* (G.) *dentata* de Meijere, 1920
47. *Gonomyia* (G.) *lucidula* de Meijere, 1920
48. *Gonomyia* (G.) *recta* Tonnoir, 1920
49. *Gonomyia* (G.) *securiformis* Starý, 2011
50. *Gonomyia* (G.) *simplex* Tonnoir, 1920
51. *Gonomyia* (G.) *subtenella* Savchenko, 1972
52. *Gonomyia* (G.) *tenella* (Meigen, 1818)
53. *Gonomyia* (G.) *theowaldi* Starý, 1982
54. *Gonomyia* (G.) *undiformis* Starý, 2010
55. *Gonomyia* (*Prolipophleps*) *abbreviata* Loew, 1873
56. *Gonomyia* (P.) *divergens* Bangerter, 1947
57. *Gonomyia* (*Teuchogonomyia*) *edwardsi* Lackschewitz, 1925

Hoplolabis Osten Sacken, 1869

58. *Hoplolabis* (*Parilisia*) *areolata* (Siebke, 1872)
59. *Hoplolabis* (P.) *complicata* (Bangerter, 1947)
60. *Hoplolabis* (P.) *fluviatilis* (Vaillant, 1970)
61. *Hoplolabis* (P.) *punctigera* (Lackschewitz, 1940)
62. *Hoplolabis* (P.) *sororcula* (Lackschewitz, 1940)
63. *Hoplolabis* (P.) *spinula* (Mendl, 1973)
64. *Hoplolabis* (P.) *subalpina* (Bangerter, 1947)
65. *Hoplolabis* (P.) *vicina* (Tonnoir, 1920)
66. *Hoplolabis* (P.) *yezoana* (Alexander, 1924)

Idiocera Dale, 1842

67. *Idiocera* (*Euptilostena*) *jucunda* (Loew, 1873)
68. *Idiocera* (*Idiocera*) *alexanderiana* (Lackschewitz, 1940)
69. *Idiocera* (I.) *antelopina* Starý, 1982
70. *Idiocera* (I.) *bradleyi* (Edwards, 1939)
71. *Idiocera* (I.) *connexa* (Loew, 1873)
72. *Idiocera* (I.) *sexguttata* (Dale, 1842)
73. *Idiocera* (I.) *sziladyi* (Lackschewitz, 1940)

Ilisia Rondani, 1856

- 74. *Ilisia maculata* (Meigen, 1804)
- 75. *Ilisia occoecata* Edwards, 1936

Molophilus Curtis, 1833

- 76. *Molophilus (Molophilus) aduncus* Starý, 1978
- 77. *Molophilus (M.) appendiculatus* (Staeger, 1840)
- 78. *Molophilus (M.) armatissimus* Bangerter, 1947
- 79. *Molophilus (M.) ater* (Meigen, 1804)
- 80. *Molophilus (M.) bifidus* Goetghebuer, 1920
- 81. *Molophilus (M.) bihamatus* de Meijere, 1918
- 82. *Molophilus (M.) bischofi* Lackschewitz, 1940
- 83. *Molophilus (M.) cinereifrons* de Meijere, 1920
- 84. *Molophilus (M.) corniger* de Meijere, 1920
- 85. *Molophilus (M.) crassipygus* de Meijere, 1918
- 86. *Molophilus (M.) curvatus* Tonnoir, 1920
- 87. *Molophilus (M.) flavus* Goetghebuer, 1920
- 88. *Molophilus (M.) franzi* Caspers, 1980
- 89. *Molophilus (M.) griseus* (Meigen, 1804)
- 90. *Molophilus (M.) ibericus* Starý, 2011
- 91. *Molophilus (M.) klementi* Mendl, 1973
- 92. *Molophilus (M.) lackschewitzianus* Alexander, 1953
- 93. *Molophilus (M.) maurus* Lackschewitz, 1925
- 94. *Molophilus (M.) medius* de Meijere, 1918
- 95. *Molophilus (M.) niger* Goetghebuer, 1920
- 96. *Molophilus (M.) obscurus* (Meigen, 1818)
- 97. *Molophilus (M.) occultus* de Meijere, 1918
- 98. *Molophilus (M.) ochraceus* (Meigen, 1818)
- 99. *Molophilus (M.) oldenbergi* Lackschewitz, 1935
- 100. *Molophilus (M.) pleuralis* de Meijere, 1920
- 101. *Molophilus (M.) priapoides* Starý, 1971
- 102. *Molophilus (M.) priapus* Lackschewitz, 1935
- 103. *Molophilus (M.) propinquus* (Egger, 1863)
- 104. *Molophilus (M.) pseudopropinquus* Mendl, 1973
- 105. *Molophilus (M.) repentinus* Starý, 1971
- 106. *Molophilus (M.) scutellatus* Goetghebuer, 1929
- 107. *Molophilus (M.) serpentiger* Edwards, 1938
- 108. *Molophilus (M.) stroblianus* Nielsen, 1953
- 109. *Molophilus (M.) testaceus* Lackschewitz, 1940
- 110. *Molophilus (M.) tirolensis* Hancock, 2005
- 111. *Molophilus (M.) undulatus* Tonnoir, 1920
- 112. *Molophilus (M.) variispinus* Starý, 1971
- 113. *Molophilus (M.) vernalis* Brunhes & Geiger, 1992
- 114. *Molophilus (M.) zonzensis* Boardman & Starý, 2020

Neolimnophila Alexander, 1920

- 115. *Neolimnophila bergrothi* (Kuntze, 1919)
- 116. *Neolimnophila carteri* (Tonnoir, 1921)
- 117. *Neolimnophila placida* (Meigen, 1830)

Ormosia Rondani, 1856

- 118. *Ormosia (O.) albitibia* Edwards, 1921
- 119. *Ormosia (O.) bicornis* (de Meijere, 1920)
- 120. *Ormosia (O.) bifida* (Lackschewitz, 1940)
- 121. *Ormosia (O.) bihamata* Lackschewitz, 1935

122. *Ormosia* (O.) *clavata* (Tonnoir, 1920)
123. *Ormosia* (O.) *depilata* Edwards, 1938
124. *Ormosia* (O.) *egena* (Bergroth, 1891)
125. *Ormosia* (O.) *fascipennis* (Zetterstedt, 1838)
126. *Ormosia* (O.) *hartigi* Mendl, 1973
127. *Ormosia* (O.) *hederae* (Curtis, 1835)
128. *Ormosia* (O.) *lackschewitzi* Bangerter, 1947
129. *Ormosia* (O.) *lineata* (Meigen, 1804)
130. *Ormosia* (O.) *nodulosa* (Macquart, 1826)
131. *Ormosia* (O.) *pseudosimilis* (Lundström, 1912)
132. *Ormosia* (O.) *ruficauda* (Zetterstedt, 1838)
133. *Ormosia* (O.) *staegeriana* Alexander, 1953

Rhabdomastix Skuse, 1890

134. *Rhabdomastix* (*Lurdia*) *loewi* Starý, 2003
135. *Rhabdomastix* (L.) *lurida* (Loew, 1873)
136. *Rhabdomastix* (L.) *mendli* Starý, 2003
137. *Rhabdomastix* (L.) *robusta* Starý, 2003
138. *Rhabdomastix* (*Rhabdomastix*) *crassa* Starý, 2004
139. *Rhabdomastix* (R.) *edwardsi* Tjeder, 1967
140. *Rhabdomastix* (R.) *eugeni* Starý, 2004
141. *Rhabdomastix* (R.) *hirticornis* (Lackschewitz, 1940)
142. *Rhabdomastix* (R.) *japonica* Alexander, 1924
143. *Rhabdomastix* (R.) *laetoidea* Starý, 2004
144. *Rhabdomastix* (R.) *subparva* Starý, 1971

Rhypholophus Kolenati, 1860

145. *Rhypholophus* *bifurcatus* Goetghebuer, 1920
146. *Rhypholophus* *dufour* Geiger & Podenas, 1993
147. *Rhypholophus* *haemorrhoidalis* (Zetterstedt, 1838)
148. *Rhypholophus* *malickyi* (Mendl, 1975)
149. *Rhypholophus* *phryganopterus* Kolenati, 1860
150. *Rhypholophus* *varius* (Meigen & Wiedemann, 1818)

Scleroprocta Edwards, 1938

151. *Scleroprocta* *pentagonalis* (Loew, 1873)
152. *Scleroprocta* *sororcula* (Zetterstedt, 1851)

Symplecta Meigen, 1830

153. *Symplecta* (*Psiloconopa*) *stictica stictica* (Meigen, 1818)
154. *Symplecta* (*Symplecta*) *hybrida* (Meigen, 1804)
155. *Symplecta* (*Trimicra*) *pilipes* (Fabricius, 1787)

Tasiocera Skuse, 1890

156. *Tasiocera* (*Dasymolophilus*) *exigua* Savchenko, 1973
157. *Tasiocera* (D.) *fuscescens* (Lackschewitz, 1940)
158. *Tasiocera* *halesus* (Schmid, 1949)
159. *Tasiocera* (D.) *jenkinsoni* Freeman, 1951
160. *Tasiocera* (D.) *murina* (Meigen, 1818)
161. *Tasiocera* (D.) *robusta* (Bangerter, 1947)

Dactylolabinae Podenas, 2005

Dactylolabis Osten Sacken, 1860

162. *Dactylolabis (Dactylolabis) anomala* (Kuntze, 1913)
163. *Dactylolabis (D.) corsicana* Edwards, 1928
164. *Dactylolabis (D.) denticulata* (Bergroth, 1891)
165. *Dactylolabis (D.) dilatata* (Loew, 1856)
166. *Dactylolabis (D.) nubecula* Kuntze, 1913
167. *Dactylolabis (D.) sexmaculata* (Macquart, 1826)
168. *Dactylolabis (D.) transversa* (Meigen, 1804)

Limnophilinae Bigot, 1854

Austrolimnophila Alexander, 1920

169. *Austrolimnophila (Archilimnophila) unica* (Osten Sacken, 1869)
170. *Austrolimnophila (Austrolimnophila) latistyla* Starý, 1977
171. *Austrolimnophila (A.) ochracea* (Meigen, 1804)

Dicranophragma Osten Sacken, 1860

172. *Dicranophragma (Brachylimnophila) adjunctum* (Walker, 1848)
173. *Dicranophragma (B.) nemorale* (Meigen, 1818)
174. *Dicranophragma (B.) separatum* (Walker, 1848)

Epiphragma Osten Acken, 1860

175. *Epiphragma (Epiphragma) ocellare* (Linnaeus, 1761)

Euphylidorea Alexander, 1972

176. *Euphylidorea (Euphylidorea) aperta* (Verrall, 1887)
177. *Euphylidorea (E.) dispar* (Meigen, 1818)
178. *Euphylidorea (E.) lineola* (Meigen, 1804)
179. *Euphylidorea (E.) meigenii* (Verrall, 1886)
180. *Euphylidorea (E.) phaeostigma* (Schummel, 1829)

Eutonia van der Wulp, 1874

181. *Eutonia barbipes* (Meigen, 1804)

Hexatoma Latreille, 1809

182. *Hexatoma (Eriocera) schnusei* (Kuntze, 1913)
183. *Hexatoma (Hexatoma) bicolor* (Meigen, 1818)
184. *Hexatoma (H.) fuscipennis* (Curtis, 1836)
185. *Hexatoma (H.) gaedii* (Meigen, 1830)
186. *Hexatoma (H.) nigra* Latreille, 1809
187. *Hexatoma (H.) nubeculosa nubeculosa* (Burmeister, 1829)
188. *Hexatoma (H.) vittata* (Meigen, 1830)

Idioptera Macquart, 1834

189. *Idioptera apicata* (Loew, 1871)
190. *Idioptera czernyi* (Strobl, 1909)
191. *Idioptera laciniata* Edwards, 1928
192. *Idioptera maculata* (Meigen, 1804)
193. *Idioptera miliaria* (Egger, 1863)
194. *Idioptera mundata* (Loew, 1871)
195. *Idioptera pulchella* (Meigen, 1830)
196. *Idioptera pusilla* (Kuntze, 1920)
197. *Idioptera submarmorata* (Verrall, 1887)
198. *Idioptera trimaculata* (Zetterstedt, 1838)

199. *Idioptera verralli* (Bergroth, 1912)

Limnophila Macquart, 1834

200. *Limnophila (Limnophila) pictipennis* (Meigen, 1818)

201. *Limnophila (L.) schranki* Oosterbroek, 1992

Neolimnomyia Seguy, 1937

202. *Neolimnomyia batava* (Edwards, 1938)

203. *Neolimnomyia filata* (Walker, 1856)

Paradelphomyia Alexander, 1936

204. *Paradelphomyia czizekiana* Starý, 1971

205. *Paradelphomyia dalei* (Edwards, 1939)

206. *Paradelphomyia ecalcarata* (Edwards, 1938)

207. *Paradelphomyia fuscata* (Loew, 1873)

208. *Paradelphomyia nielsenii* (Kuntze, 1919)

209. *Paradelphomyia senilis* (Haliday, 1833)

Phylidorea Bigot, 1854

210. *Phylidorea (Paraphylidorea) fulvonervosa* (Schummel, 1829)

211. *Phylidorea (Phylidorea) abdominalis* (Staeger, 1840)

212. *Phylidorea (P.) bicolor* (Meigen, 1804)

213. *Phylidorea (P.) ferruginea* (Meigen, 1818)

214. *Phylidorea (P.) heterogyna* (Bergroth, 1913)

215. *Phylidorea (P.) longicornis longicornis* (Schummel, 1829)

216. *Phylidorea (P.) squalens* (Zetterstedt, 1838)

Phyllolabis

217. *Phyllolabis geigeri* Podenas & Starý, 1997

218. *Phyllolabis gohli* Mendl, 1976

219. *Phyllolabis pubipennis* Lackschewitz, 1940

Pilaria Sintenis, 1889

220. *Pilaria decolor* (Zetterstedt, 1851)

221. *Pilaria discicollis* (Meigen, 1818)

222. *Pilaria fuscipennis* (Meigen, 1818)

223. *Pilaria meridiana* (Staeger, 1840)

224. *Pilaria nigropunctata* (Agrell, 1945)

225. *Pilaria scutellata* (Staeger, 1840)

Prionolabis Oster Sacken, 1860

226. *Prionolabis hospes* (Egger, 1863)

227. *Prionolabis schmidi* Starý, 2006

Pseudolimnophila Alexander, 1919

228. *Pseudolimnophila (Pseudolimnophila) lucorum* (Meigen, 1818)

229. *Pseudolimnophila (P.) sepium* (Verrall, 1886)

Limoniinae Speiser, 1909

Achyrolimonia Alexander, 1965

230. *Achyrolimonia decemmaculata* (Loew, 1873)
 231. *Achyrolimonia neonebulosa* (Alexander, 1924)

Antocha Osten Sacken, 1860

232. *Antocha (Antocha) vitripennis* (Meigen, 1830)
 233. *Antocha (Orimargula) alpigena* (Mik, 1883)

Atypophthalmus Brunetti, 1911

234. *Atypophthalmus (Atypophthalmus) inustus* (Meigen, 1818)

Dicranomyia Stephens, 1829

235. *Dicranomyia (Dicranomyia) affinis* (Schummel, 1829)
 236. *Dicranomyia (D.) aperta* Wahlgren, 1904
 237. *Dicranomyia (D.) autumnalis* (Staeger, 1840)
 238. *Dicranomyia (D.) chorea* (Meigen, 1818)
 239. *Dicranomyia (D.) conchifera* (Strobl, 1900)
 240. *Dicranomyia (D.) consimilis* (Zetterstedt, 1838)
 241. *Dicranomyia (D.) didyma* (Meigen, 1804)
 242. *Dicranomyia (D.) distendens* Lundström, 1912
 243. *Dicranomyia (D.) fuscinota* Starý, 2009
 244. *Dicranomyia (D.) goritiensis* (Mik, 1864)
 245. *Dicranomyia (D.) imbecilla* Lackschewitz, 1941
 246. *Dicranomyia (D.) kamakensis* Starý, 1993
 247. *Dicranomyia (D.) livornica* Lackschewitz, 1928
 248. *Dicranomyia (D.) longipennis* (Schummel, 1829)
 249. *Dicranomyia (D.) lorettae* Geiger, 1985
 250. *Dicranomyia (D.) lucida* de Meijere, 1918
 251. *Dicranomyia (D.) lutea* (Meigen, 1804)
 252. *Dicranomyia (D.) melanantha* Savchenko, 1984
 253. *Dicranomyia (D.) micronychia* Lackschewitz, 1941
 254. *Dicranomyia (D.) mitis* (Meigen, 1830)
 255. *Dicranomyia (D.) modesta* (Meigen, 1818)
 256. *Dicranomyia (D.) ornata* (Meigen, 1818)
 257. *Dicranomyia (D.) pallidinota* Starý, 2009
 258. *Dicranomyia (D.) quadra* (Meigen, 1838)
 259. *Dicranomyia (D.) sera* (Walker, 1848)
 260. *Dicranomyia (D.) signatella* Starý & Freidberg, 2007
 261. *Dicranomyia (D.) strobli* Pagast, 1941
 262. *Dicranomyia (D.) ventralis* (Schummel, 1829)
 263. *Dicranomyia (Glochina) bangerteri* (Mendl, 1974)
 264. *Dicranomyia (G.) pauli* Geiger, 1983
 265. *Dicranomyia (G.) sericata* (Meigen, 1830)
 266. *Dicranomyia (G.) transsilvanica* Lackschewitz, 1928
 267. *Dicranomyia (G.) tristis* (Schummel, 1829)
 268. *Dicranomyia (Idiopyga) danica* Kuntze, 1919
 269. *Dicranomyia (I.) halterella* Edwards, 1921
 270. *Dicranomyia (I.) lackschewitzi* Edwards, 1928
 271. *Dicranomyia (I.) nigristigma* Nielsen, 1919
 272. *Dicranomyia (I.) stigmatica* (Meigen, 1830)
 273. *Dicranomyia (Melanolimonia) caledonica* Edwards, 1926
 274. *Dicranomyia (M.) hamata* Becker, 1908
 275. *Dicranomyia (M.) morio* (Fabricius, 1787)
 276. *Dicranomyia (M.) occidua* Edwards, 1926
 277. *Dicranomyia (M.) stylifera* Lackschewitz, 1928
 278. *Dicranomyia (Numantia) fusca* (Meigen, 1804)
 279. *Dicranomyia (Sivalimnobia) aquosa* Verrall, 1886



Dicranoptycha Osten Sacken, 1860

- 280. *Dicranoptycha cinerascens* (Meigen, 1818)
- 281. *Dicranoptycha fuscescens* (Schummel, 1829)
- 282. *Dicranoptycha livescens* Loew, 1871
- 283. *Dicranoptycha paralivescens* Starý, 1972
- 284. *Dicranoptycha pseudocinerea* Starý, 1972

Discobola Osten Sacken, 1865

- 285. *Discobola annulata* (Linnaeus, 1758)
- 286. *Discobola caesarea* (Osten Sacken, 1854)

Elephantomyia Osten Sacken, 1860

- 287. *Elephantomyia (Elephantomyia) edwardsi* Lackschewitz, 1932

Elliptera Schiner, 1863

- 288. *Elliptera hungarica* Madarassy, 1881
- 289. *Elliptera omissa* Schiner, 1863

Geranomyia Haliday, 1833

- 290. *Geranomyia bezzii* Alexander & Leonard, 1912
- 291. *Geranomyia caloptera* Mik, 1867
- 292. *Geranomyia unicolor* Haliday, 1833

Helius Lepeletier de Saint-Fargeau & Audinet-Serville, 1828

- 293. *Helius (Helius) calviensis* Edwards, 1928
- 294. *Helius (H.) flavus* (Walker, 1856)
- 295. *Helius (H.) hispanicus* Lackschewitz, 1928
- 296. *Helius (H.) longirostris longirostris* (Meigen, 1818)
- 297. *Helius (H.) pallirostris* Edwards, 1921

Limonia Meigen, 1803

- 298. *Limonia albifrons* (Meigen, 1818)
- 299. *Limonia dilutior* (Edwards, 1921)
- 300. *Limonia flavipes* (Fabricius, 1787)
- 301. *Limonia hercegovinae* (Strobl, 1898)
- 302. *Limonia macrostigma* (Schummel, 1829)
- 303. *Limonia maculipennis* (Meigen & Wiedemann, 1818)
- 304. *Limonia nigropunctata nigropunctata* (Schummel, 1829)
- 305. *Limonia nubeculosa* Meigen, 1804
- 306. *Limonia phragmitidis* (Schränk, 1781)
- 307. *Limonia stigma* (Meigen, 1818)
- 308. *Limonia sylvicola* (Schummel, 1829)
- 309. *Limonia taurica* (Strobl, 1895)
- 310. *Limonia trivittata* (Schummel, 1829)

Lipsothrix Loew, 1873

- 311. *Lipsothrix ecucullata* Edwards, 1938
- 312. *Lipsothrix errans* (Walker, 1848)
- 313. *Lipsothrix galiciensis* Hancock & Hewitt, 2015
- 314. *Lipsothrix nervosa* Edwards, 1938
- 315. *Lipsothrix nobilis* Loew, 1873
- 316. *Lipsothrix remota* (Walker, 1848)

Metalimnobia Matsumura, 1911

- 317. *Metalimnobia (Metalimnobia) bifasciata* (Schränk, 1781)
- 318. *Metalimnobia (M.) quadrimaculata* (Linnaeus, 1761)
- 319. *Metalimnobia (M.) quadrinotata* (Meigen, 1818)
- 320. *Metalimnobia (M.) tenua* Savchenko, 1976
- 321. *Metalimnobia (M.) zetterstedti* (Tjeder, 1968)

Neolimonia Alexander, 1964

- 322. *Neolimonia dumetorum* (Meigen, 1804)

Orimarga Osten Sacken, 1869

- 323. *Orimarga (Orimarga) attenuata* (Walker, 1848)
- 324. *Orimarga (O.) juvenilis* (Zetterstedt, 1851)
- 325. *Orimarga (O.) virgo* (Zetterstedt, 1851)

Rhipidia Meigen, 1818

- 326. *Rhipidia (Rhipidia) ctenophora* Loew, 1871
- 327. *Rhipidia (R.) maculata* Meigen, 1818
- 328. *Rhipidia (R.) punctipennis* Mik, 1887
- 329. *Rhipidia (R.) uniseriata uniseriata* Schiner, 1864

Thaumastoptera Mik, 1866

- 330. *Thaumastoptera (Thaumastoptera) calceata* Mik, 1866

Pediciidae Osten Sacken, 1860

Pediciinae Osten Sacken, 1860

Dicranota Zetterstedt, 1838

- 1. *Dicranota (Dicranota) bimaculata* (Schummel, 1829)
- 2. *Dicranota (Ludicia) claripennis* (Verrall, 1888)
- 3. *Dicranota (L.) lucidipennis* (Edwards, 1921)
- 4. *Dicranota (L.) trifurcata* (Edwards, 1928)
- 5. *Dicranota (Paradicronata) brevicornis* Bergroth, 1891
- 6. *Dicranota (P.) brevitarsis* Bergroth, 1891
- 7. *Dicranota (P.) candelisequa* Starý, 1981
- 8. *Dicranota (P.) capillata* Lackschewitz, 1940
- 9. *Dicranota (P.) cinerascens* Lackschewitz, 1940
- 10. *Dicranota (P.) consimilis* Mendl, 1987
- 11. *Dicranota (P.) flammata* Starý, 1981
- 12. *Dicranota (P.) fuscipennis* Lackschewitz, 1940
- 13. *Dicranota (P.) gracilipes* Wahlgren, 1905
- 14. *Dicranota (P.) landrocki* Czižek, 1931
- 15. *Dicranota (P.) minuta* Lackschewitz, 1940
- 16. *Dicranota (P.) pallens* Lackschewitz, 1940
- 17. *Dicranota (P.) pavidata* (Haliday, 1833)
- 18. *Dicranota (P.) rorida* Lackschewitz, 1940
- 19. *Dicranota (P.) schistacea* Lackschewitz, 1940
- 20. *Dicranota (P.) simulans* Lackschewitz, 1940
- 21. *Dicranota (P.) subtilis* Loew, 1871
- 22. *Dicranota (Raphidolabis) exclusa* (Walker, 1848)

Pedicia Latreille, 1809

23. *Pedicia (Amalopsis) fusca* Ujvarosi & Balint, 2012
24. *Pedicia (A.) occulta* (Meigen, 1830)
25. *Pedicia (Crunobia) littoralis* (Meigen, 1804)
26. *Pedicia (C.) riedeli* (Lackschewitz, 1940)
27. *Pedicia (C.) straminea* (Meigen, 1838)
28. *Pedicia (C.) zangheriana* Nielsen, 1950
29. *Pedicia (Pedicia) rivosa* (Linnaeus, 1758)

Tricyphona Zetterstedt, 1837

30. *Tricyphona (Tricyphona) alticola* Strobl, 1910
31. *Tricyphona (T.) contraria* Bergroth, 1888
32. *Tricyphona (T.) immaculata* (Meigen, 1804)
33. *Tricyphona (T.) livida* Madarassy, 1881
34. *Tricyphona (T.) schummeli* Edwards, 1921
35. *Tricyphona (T.) unicolor* (Schummel, 1829)

Ulinae Alexander, 1920

36. *Ula (Ula) bolitophila* Loew, 1869
37. *Ula (U) mixta* Starý, 1983
38. *Ula (U.) mollissima* Haliday, 1833
39. *Ula (U.) sylvatica* (Meigen, 1818)